

Прицепные измельчители веток с двигателем EVO 205TT

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gha@nt-rt.ru || сайт: <https://greenmech.nt-rt.ru/>

EVO 205TT

Разработан для отраслей промышленности, требующих сочетания исключительной производительности резки и функции поворота стола на 360 градусов, что обеспечивает максимальную гибкость позиционирования машины для безопасной работы.



- более агрессивный крутящий момент
- более агрессивный укус
- больше пропускной способности
- 6 лопастной сверхпрочный маховик
- технология интеллектуального восприятия
- 205 мм мощность
- поворотный стол на 360 градусов

EVO 205TT		
	Description	Notes
Basics	Weight	1800 kg
	Max Timber Diameter	205mm
	Throughput	22 Cubic Metres per hour/ 7 tonnes per hour
	Fuel Tank Capacity	50 litres
	Hydraulic Oil Tank Capacity	50 litres
	Turntable	360°
Engine	Make and Model	Kubota D 1803-CR-TE4B 50hp/37kW
	Cubic Capacity	1826cc
	Fuel	Diesel
	Engine Speed	2900
	Cylinders	3
	Turbo	YES
	Cooling	Water cooled
	Torque (Nm)	151(Nm)
	Throttle Control	Electric Throttle
	Main Drive Belt Tensioning	Auto with clutch lever
	Engine Bay Heat Management	Heat Transfer Fan (Patent pending)
	Engine Cover	Hinged steel construction
		Lined with sound reduction material
Chipping	Power Feed Rollers	2 Hydraulically driven by a motor on each roller
	Disc Processor/ Flywheel	126Kgs
	Disc Blade Cutters	6 blades (720-900 Hours expected life on clean material)
	Flywheel Speed	1450
	Main Drive Shaft Bearings	All remote greasing
	Infeed Chute Aperture (W X H)	1250mm x 700mm
	Infeed Throat Aperture (W x H)	205mm x 270mm
	Sound Pressure LPA	91 dB(A)
	Sound Power LWA	120 dB(A)
Controls	Smart Sense Controller	"Smart Stress" No Stress Load Detection
		"Smart Economy" selectable Economy Mode
	Roller Control Buttons	2 x Banks of 3 buttons located each side of the
		Infeed chute:
		1 x Button for forward the rollers
		1 x Button for reverse of the rollers
		1 x Button for throttle reset
	Throttle Control	Auto-throttle Electronic (Power up and down)
Safety	Hydraulic Flow Control Valve	To adjust power feed roller speeds
	Safety Bars	EN 13525 Compliant
		Floating to equalize pressure at all points
		Built in sections to reduce cost of replacement
	Top Safety Button	EN 13525 Compliant
		2 x E Stops located on top of the infeed chute
Discharge	Discharge Chute	Rotation of 280° to safeguard the operator
		Adjustable end cap to direct material
		Slide-bar adjuster to alter discharge cap
		No-Spill discharge cap for close up chipping
		Variable height chute
Dimensions:	Length Transport	3545
	Width Transport	1990
	Height with Discharge chute up	2745
	Dimensions can be reduced for LCL and FCL Ocean Freight, please ask for details.	
Optional Equipment:		Variable Height Swan Neck
	Corporate colour choice	Standard RAL Colours only

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gha@nt-rt.ru || сайт: <https://greenmech.nt-rt.ru/>